

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**MAXGUARD SWITCHGEAR SDN. BHD.
NO. 8, JALAN ANGERIK MOKARA 31/47,
KOTA KEMUNING
40460 SHAH ALAM
SELANGOR, MALAYSIA**



ACB 001

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

MINIATURE CIRCUIT-BREAKERS (MCBs)

Please refer to detail in the SCHEDULE



**sebagai mematuhi keperluan
as complying with**

MS IEC 60898-1 : 2007



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 1A)
Rating : 240/415V, 50/60HZ, 6000A, 1A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 2A)
Rating : 240/415V, 50/60HZ, 6000A, 2A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 3A)
Rating : 240/415V, 50/60HZ, 6000A, 3A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 4A)
Rating : 240/415V, 50/60HZ, 6000A, 4A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 6A)
Rating : 240/415V, 50/60HZ, 6000A, 6A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 10A)
Rating : 240/415V, 50/60HZ, 6000A, 10A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 16A)
Rating : 240/415V, 50/60HZ, 6000A, 16A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 20A)
Rating : 240/415V, 50/60HZ, 6000A, 20A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 25A)
Rating : 240/415V, 50/60HZ, 6000A, 25A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 32A)
Rating : 240/415V, 50/60HZ, 6000A, 32A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 40A)
Rating : 240/415V, 50/60HZ, 6000A, 40A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 50A)
Rating : 240/415V, 50/60HZ, 6000A, 50A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE B, 63A)
Rating : 240/415V, 50/60HZ, 6000A, 63A
Type : TYPE B, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 1A)
Rating : 240/415V, 50/60HZ, 6000A, 1A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 2A)
Rating : 240/415V, 50/60HZ, 6000A, 2A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 3A)
Rating : 240/415V, 50/60HZ, 6000A, 3A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 4A)
Rating : 240/415V, 50/60HZ, 6000A, 4A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 6A)
Rating : 240/415V, 50/60HZ, 6000A, 6A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 10A)
Rating : 240/415V, 50/60HZ, 6000A, 10A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 16A)
Rating : 240/415V, 50/60HZ, 6000A, 16A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 20A)
Rating : 240/415V, 50/60HZ, 6000A, 20A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 25A)
Rating : 240/415V, 50/60HZ, 6000A, 25A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 32A)
Rating : 240/415V, 50/60HZ, 6000A, 32A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 40A)
Rating : 240/415V, 50/60HZ, 6000A, 40A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 50A)
Rating : 240/415V, 50/60HZ, 6000A, 50A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (1P,6kA, TYPE C, 63A)
Rating : 240/415V, 50/60HZ, 6000A, 63A
Type : TYPE C, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 1A)
Rating : 415V, 50/60HZ, 6000A, 1A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 2A)
Rating : 415V, 50/60HZ, 6000A, 2A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 3A)
Rating : 415V, 50/60HZ, 6000A, 3A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 4A)
Rating : 415V, 50/60HZ, 6000A, 4A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 6A)
Rating : 415V, 50/60HZ, 6000A, 6A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 10A)
Rating : 415V, 50/60HZ, 6000A, 10A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 16A)
Rating : 415V, 50/60HZ, 6000A, 16A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 20A)
Rating : 415V, 50/60HZ, 6000A, 20A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 25A)
Rating : 415V, 50/60HZ, 6000A, 25A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 32A)
Rating : 415V, 50/60HZ, 6000A, 32A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 40A)
Rating : 415V, 50/60HZ, 6000A, 40A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 50A)
Rating : 415V, 50/60HZ, 6000A, 50A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE B, 63A)
Rating : 415V, 50/60HZ, 6000A, 63A
Type : TYPE B, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 1A)
Rating : 415V, 50/60HZ, 6000A, 1A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 2A)
Rating : 415V, 50/60HZ, 6000A, 2A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 3A)
Rating : 415V, 50/60HZ, 6000A, 3A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 4A)
Rating : 415V, 50/60HZ, 6000A, 4A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 6A)
Rating : 415V, 50/60HZ, 6000A, 6A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 10A)
Rating : 415V, 50/60HZ, 6000A, 10A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 16A)
Rating : 415V, 50/60HZ, 6000A, 16A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 20A)
Rating : 415V, 50/60HZ, 6000A, 20A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 25A)
Rating : 415V, 50/60HZ, 6000A, 25A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 32A)
Rating : 415V, 50/60HZ, 6000A, 32A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 40A)
Rating : 415V, 50/60HZ, 6000A, 40A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 50A)
Rating : 415V, 50/60HZ, 6000A, 50A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (2P,6kA, TYPE C, 63A)
Rating : 415V, 50/60HZ, 6000A, 63A
Type : TYPE C, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 1A)
Rating : 415V, 50/60HZ, 6000A, 1A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 2A)
Rating : 415V, 50/60HZ, 6000A, 2A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 3A)
Rating : 415V, 50/60HZ, 6000A, 3A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 4A)
Rating : 415V, 50/60HZ, 6000A, 4A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 6A)
Rating : 415V, 50/60HZ, 6000A, 6A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 10A)
Rating : 415V, 50/60HZ, 6000A, 10A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 16A)
Rating : 415V, 50/60HZ, 6000A, 16A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 20A)
Rating : 415V, 50/60HZ, 6000A, 20A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 25A)
Rating : 415V, 50/60HZ, 6000A, 25A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 32A)
Rating : 415V, 50/60HZ, 6000A, 32A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 40A)
Rating : 415V, 50/60HZ, 6000A, 40A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 50A)
Rating : 415V, 50/60HZ, 6000A, 50A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE B, 63A)
Rating : 415V, 50/60HZ, 6000A, 63A
Type : TYPE B, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 1A)
Rating : 415V, 50/60HZ, 6000A, 1A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 2A)
Rating : 415V, 50/60HZ, 6000A, 2A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 3A)
Rating : 415V, 50/60HZ, 6000A, 3A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 4A)
Rating : 415V, 50/60HZ, 6000A, 4A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 6A)
Rating : 415V, 50/60HZ, 6000A, 6A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 10A)
Rating : 415V, 50/60HZ, 6000A, 10A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 16A)
Rating : 415V, 50/60HZ, 6000A, 16A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 20A)
Rating : 415V, 50/60HZ, 6000A, 20A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 25A)
Rating : 415V, 50/60HZ, 6000A, 25A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 32A)
Rating : 415V, 50/60HZ, 6000A, 32A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 40A)
Rating : 415V, 50/60HZ, 6000A, 40A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 50A)
Rating : 415V, 50/60HZ, 6000A, 50A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (3P,6kA, TYPE C, 63A)
Rating : 415V, 50/60HZ, 6000A, 63A
Type : TYPE C, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 1A)
Rating : 415V, 50/60HZ, 6000A, 1A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 2A)
Rating : 415V, 50/60HZ, 6000A, 2A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 3A)
Rating : 415V, 50/60HZ, 6000A, 3A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 4A)
Rating : 415V, 50/60HZ, 6000A, 4A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 6A)
Rating : 415V, 50/60HZ, 6000A, 6A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 10A)
Rating : 415V, 50/60HZ, 6000A, 10A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 16A)
Rating : 415V, 50/60HZ, 6000A, 16A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 20A)
Rating : 415V, 50/60HZ, 6000A, 20A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 25A)
Rating : 415V, 50/60HZ, 6000A, 25A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 32A)
Rating : 415V, 50/60HZ, 6000A, 32A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 40A)
Rating : 415V, 50/60HZ, 6000A, 40A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 50A)
Rating : 415V, 50/60HZ, 6000A, 50A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE B, 63A)
Rating : 415V, 50/60HZ, 6000A, 63A
Type : TYPE B, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 1A)
Rating : 415V, 50/60HZ, 6000A, 1A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 2A)
Rating : 415V, 50/60HZ, 6000A, 2A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 3A)
Rating : 415V, 50/60HZ, 6000A, 3A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 4A)
Rating : 415V, 50/60HZ, 6000A, 4A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 6A)
Rating : 415V, 50/60HZ, 6000A, 6A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 10A)
Rating : 415V, 50/60HZ, 6000A, 10A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 16A)
Rating : 415V, 50/60HZ, 6000A, 16A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 20A)
Rating : 415V, 50/60HZ, 6000A, 20A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 25A)
Rating : 415V, 50/60HZ, 6000A, 25A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 32A)
Rating : 415V, 50/60HZ, 6000A, 32A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 40A)
Rating : 415V, 50/60HZ, 6000A, 40A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 50A)
Rating : 415V, 50/60HZ, 6000A, 50A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : MB63-1 (4P,6kA, TYPE C, 63A)
Rating : 415V, 50/60HZ, 6000A, 63A
Type : TYPE C, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 1A)
Rating : 240/415V, 50/60HZ, 10000A, 1A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 2A)
Rating : 240/415V, 50/60HZ, 10000A, 2A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 3A)
Rating : 240/415V, 50/60HZ, 10000A, 3A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 4A)
Rating : 240/415V, 50/60HZ, 10000A, 4A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 6A)
Rating : 240/415V, 50/60HZ, 10000A, 6A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 10A)
Rating : 240/415V, 50/60HZ, 10000A, 10A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 16A)
Rating : 240/415V, 50/60HZ, 10000A, 16A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 20A)
Rating : 240/415V, 50/60HZ, 10000A, 20A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 25A)
Rating : 240/415V, 50/60HZ, 10000A, 25A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 32A)
Rating : 240/415V, 50/60HZ, 10000A, 32A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM



ACB 001



Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 40A)
Rating : 240/415V, 50/60HZ, 10000A, 40A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 50A)
Rating : 240/415V, 50/60HZ, 10000A, 50A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (1P, 10kA, TYPE B,C&D, 63A)
Rating : 240/415V, 50/60HZ, 10000A, 63A
Type : TYPE B,C&D, SINGLE POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 1A)
Rating : 415V, 50/60HZ, 10000A, 1A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 2A)
Rating : 415V, 50/60HZ, 10000A, 2A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 3A)
Rating : 415V, 50/60HZ, 10000A, 3A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 4A)
Rating : 415V, 50/60HZ, 10000A, 4A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 6A)
Rating : 415V, 50/60HZ, 10000A, 6A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 10A)
Rating : 415V, 50/60HZ, 10000A, 10A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 16A)
Rating : 415V, 50/60HZ, 10000A, 16A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 20A)
Rating : 415V, 50/60HZ, 10000A, 20A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 25A)
Rating : 415V, 50/60HZ, 10000A, 25A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 32A)
Rating : 415V, 50/60HZ, 10000A, 32A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 40A)
Rating : 415V, 50/60HZ, 10000A, 40A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 50A)
Rating : 415V, 50/60HZ, 10000A, 50A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (2P, 10kA, TYPE B,C&D, 63A)
Rating : 415V, 50/60HZ, 10000A, 63A
Type : TYPE B,C&D, TWO-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 1A)
Rating : 415V, 50/60HZ, 10000A, 1A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 2A)
Rating : 415V, 50/60HZ, 10000A, 2A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 3A)
Rating : 415V, 50/60HZ, 10000A, 3A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 4A)
Rating : 415V, 50/60HZ, 10000A, 4A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 6A)
Rating : 415V, 50/60HZ, 10000A, 6A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 10A)
Rating : 415V, 50/60HZ, 10000A, 10A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 16A)
Rating : 415V, 50/60HZ, 10000A, 16A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 20A)
Rating : 415V, 50/60HZ, 10000A, 20A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 25A)
Rating : 415V, 50/60HZ, 10000A, 25A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 32A)
Rating : 415V, 50/60HZ, 10000A, 32A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 40A)
Rating : 415V, 50/60HZ, 10000A, 40A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 50A)
Rating : 415V, 50/60HZ, 10000A, 50A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (3P, 10kA, TYPE B,C&D, 63A)
Rating : 415V, 50/60HZ, 10000A, 63A
Type : TYPE B,C&D, THREE-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 1A)
Rating : 415V, 50/60HZ, 10000A, 1A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 2A)
Rating : 415V, 50/60HZ, 10000A, 2A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 3A)
Rating : 415V, 50/60HZ, 10000A, 3A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 4A)
Rating : 415V, 50/60HZ, 10000A, 4A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 6A)
Rating : 415V, 50/60HZ, 10000A, 6A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 10A)
Rating : 415V, 50/60HZ, 10000A, 10A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 16A)
Rating : 415V, 50/60HZ, 10000A, 16A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 20A)
Rating : 415V, 50/60HZ, 10000A, 20A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



ACB 001

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 25A)
Rating : 415V, 50/60HZ, 10000A, 25A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.



Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 32A)
Rating : 415V, 50/60HZ, 10000A, 32A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 40A)
Rating : 415V, 50/60HZ, 10000A, 40A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 50A)
Rating : 415V, 50/60HZ, 10000A, 50A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

Trade Mark : MAXGUARD
Model : F2 (4P, 10kA, TYPE B,C&D, 63A)
Rating : 415V, 50/60HZ, 10000A, 63A
Type : TYPE B,C&D, FOUR-POLE
Full type test conducted in accordance to IEC 60898 - 1: 2015.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Factory Name and Location :
JOVEAN & ROGY ELECTRICAL HOLDING CO. LTD.,
132, XINGUANG AVENUE,
XINGUANG INDUSTRIAL ZONE,
LIUSHI
325604 WENZHOU
ZHEJIANG, CHINA

End of page



ACB 001



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 September 2006

Certified Since

Sah Sehingga : 14 September 2026

Valid Until

Tarikh Dikeluarkan : 09 September 2025

Issue Date

No Siri : 116254

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.