

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

MAXGUARD SWITCHGEAR SDN. BHD.
NO. 8, JALAN ANGERIK MOKARA 31/47,
KOTA KEMUNING
40460 SHAH ALAM
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

RESIDUAL CURRENT OPERATED CIRCUIT BREAKERS (RCBOs)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS IEC 61009-1 : 2012
MS IEC 61009-2-2 : 2003



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type A, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 6A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012 +A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type A, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 10A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type A, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 16A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type A, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 20A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type A, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 25A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type A, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 32A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type A, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 6A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type A, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 10A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type A, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 16A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type A, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 20A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type A, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 25A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type A, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 32A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type AC, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 6A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type AC, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 10A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type AC, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 16A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type AC, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 20A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type AC, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 25A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type AC, B-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 32A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type AC, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 6A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type AC, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 10A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type AC, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 16A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type AC, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 20A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type AC, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 25A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type AC, C-Type, 10mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.01A, 32A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type A, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 6A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type A, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 10A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type A, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 16A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type A, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 20A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type A, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 25A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type A, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 32A
Type : Type A : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type A, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 6A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type A, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 10A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type A, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 16A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type A, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 20A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type A, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 25A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type A, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 32A
Type : Type A : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type AC, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 6A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type AC, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 10A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type AC, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 16A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type AC, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 20A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type AC, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 25A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type AC, B-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 32A
Type : Type AC : B-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

MAXGUARD SWITCHGEAR SDN. BHD.



SIRIM

Trade Mark : MAXGUARD
Model : ML 32-1 (6A, Type AC, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 6A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (10A, Type AC, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 10A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (16A, Type AC, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 16A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (20A, Type AC, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 20A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (25A, Type AC, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 25A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

Trade Mark : MAXGUARD
Model : ML 32-1 (32A, Type AC, C-Type, 30mA)
Rating : 1P+N / 240V, 50/60Hz, 6000A, 0.03A, 32A
Type : Type AC : C-Type
TESTED TO IEC 61009-1:2010(ED.3) +A1:2012+A2:2013 IEC 61009-2-2:1991

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 26 April 2013

Certified Since

Sah Sehingga : 26 April 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 19 April 2026

Issue Date

No Siri : 126177

Serial No